

**Web Application Design
IT-380
QUIZ# 6**

For Loop Test

Civil War Beginning Date:

Instruction:

Develop an 'HTML' Web document including JavaScripts to show a form/screen like the above utilizing a table with two columns of 'Civil War Beginning Date', as label, and a Text Input box. When clicking into the Input box (use `onClick`, event) the user is going to be prompted (use `prompt`, command) for the correct Date of the Civil War. The user has three chances (use For loop) to enter the correct date. If the Date is correct, that is '1861', the user is going to get a popup window (use `alert`, command) of the correct entry (Saying 'Correct answer') with the correct answer placed into the Input box, otherwise the correct answer is going to be placed in the Input box, after the third time, as "answer is: 1861".

Use 'onClick' event for the Input box

Use 'break;' to get out of the For Loop

Use 'prompt' to ask 'what year did the Civil War begin?'

Use 'alert' method to for correct answer

**Web Application Design
IT-380
QUIZ# 6**

For Loop Test

Civil War Beginning Date:

Instruction:

Develop an 'HTML' Web document including JavaScripts to show a form/screen like the above utilizing a table with two columns of 'Civil War Beginning Date', as label, and a Text Input box. When clicking into the Input box (use `onClick`, event) the user is going to be prompted (use `prompt`, command) for the correct Date of the Civil War. The user has three chances (use For loop) to enter the correct date. If the Date is correct, that is '1861', the user is going to get a popup window (use `alert`, command) of the correct entry (Saying 'Correct answer') with the correct answer placed into the Input box, otherwise the correct answer is going to be placed in the Input box, after the third time, as "answer is: 1861".

Use 'onClick' event for the Input box

Use 'break;' to get out of the For Loop

Use 'prompt' to ask 'what year did the Civil War begin?'

Use 'alert' method to for correct answer

**Web Application Design
IT-380
QUIZ# 6**

For Loop Test

Civil War Beginning Date:

Instruction:

Develop an 'HTML' Web document including JavaScripts to show a form/screen like the above utilizing a table with two columns of 'Civil War Beginning Date', as label, and a Text Input box. When clicking into the Input box (use `onClick`, event) the user is going to be prompted (use `prompt`, command) for the correct Date of the Civil War. The user has three chances (use For loop) to enter the correct date. If the Date is correct, that is '1861', the user is going to get a popup window (use `alert`, command) of the correct entry (Saying 'Correct answer') with the correct answer placed into the Input box, otherwise the correct answer is going to be placed in the Input box, after the third time, as "answer is: 1861".

Use 'onClick' event for the Input box

Use 'break;' to get out of the For Loop

Use 'prompt' to ask 'what year did the Civil War begin?'

Use 'alert' method to for correct answer

**Web Application Design
IT-380
QUIZ# 6**

For Loop Test

Civil War Beginning Date:

Instruction:

Develop an 'HTML' Web document including JavaScripts to show a form/screen like the above utilizing a table with two columns of 'Civil War Beginning Date', as label, and a Text Input box. When clicking into the Input box (use `onClick`, event) the user is going to be prompted (use `prompt`, command) for the correct Date of the Civil War. The user has three chances (use For loop) to enter the correct date. If the Date is correct, that is '1861', the user is going to get a popup window (use `alert`, command) of the correct entry (Saying 'Correct answer') with the correct answer placed into the Input box, otherwise the correct answer is going to be placed in the Input box, after the third time, as "answer is: 1861".

Use 'onClick' event for the Input box

Use 'break;' to get out of the For Loop

Use 'prompt' to ask 'what year did the Civil War begin?'

Use 'alert' method to for correct answer

**Web Application Design
IT-380
QUIZ# 6**

For Loop Test

Civil War Beginning Date:

Instruction:

Develop an 'HTML' Web document including JavaScripts to show a form/screen like the above utilizing a table with two columns of 'Civil War Beginning Date', as label, and a Text Input box. When clicking into the Input box (use `onClick`, event) the user is going to be prompted (use `prompt`, command) for the correct Date of the Civil War. The user has three chances (use For loop) to enter the correct date. If the Date is correct, that is '1861', the user is going to get a popup window (use `alert`, command) of the correct entry (Saying 'Correct answer') with the correct answer placed into the Input box, otherwise the correct answer is going to be placed in the Input box, after the third time, as "answer is: 1861".

Use 'onClick' event for the Input box

Use 'break;' to get out of the For Loop

Use 'prompt' to ask 'what year did the Civil War begin?'

Use 'alert' method to for correct answer

**Web Application Design
IT-380
QUIZ# 6**

For Loop Test

Civil War Beginning Date:

Instruction:

Develop an 'HTML' Web document including JavaScripts to show a form/screen like the above utilizing a table with two columns of 'Civil War Beginning Date', as label, and a Text Input box. When clicking into the Input box (use `onClick`, event) the user is going to be prompted (use `prompt`, command) for the correct Date of the Civil War. The user has three chances (use For loop) to enter the correct date. If the Date is correct, that is '1861', the user is going to get a popup window (use `alert`, command) of the correct entry (Saying 'Correct answer') with the correct answer placed into the Input box, otherwise the correct answer is going to be placed in the Input box, after the third time, as "answer is: 1861".

Use 'onClick' event for the Input box

Use 'break;' to get out of the For Loop

Use 'prompt' to ask 'what year did the Civil War begin?'

Use 'alert' method to for correct answer

**Web Application Design
IT-380
QUIZ# 6**

For Loop Test

Civil War Beginning Date:

Instruction:

Develop an 'HTML' Web document including JavaScripts to show a form/screen like the above utilizing a table with two columns of 'Civil War Beginning Date', as label, and a Text Input box. When clicking into the Input box (use `onClick`, event) the user is going to be prompted (use `prompt`, command) for the correct Date of the Civil War. The user has three chances (use For loop) to enter the correct date. If the Date is correct, that is '1861', the user is going to get a popup window (use `alert`, command) of the correct entry (Saying 'Correct answer') with the correct answer placed into the Input box, otherwise the correct answer is going to be placed in the Input box, after the third time, as "answer is: 1861".

Use 'onClick' event for the Input box

Use 'break;' to get out of the For Loop

Use 'prompt' to ask 'what year did the Civil War begin?'

Use 'alert' method to for correct answer